

CK 20 Trend

RAPID HEATER

PRODUCT-NO.: 234918

Plug and heat.

This rapid heater generates the required heat directly. It not only saves on space but is also easy to use. One power outlet is all that this electrical appliance needs.

User friendly operation.

The temperature can be very easily regulated thanks to the convenient positioning of the controls. Furthermore, the appliance only needs a small recess in which to get on with its task.



The main features

Wall mounted rapid heater – ideal as a supplementary heater or interim heater in spring/autumn

Quick room air heating

Maximum safety thanks to three-stage overheating protection

Small footprint

Ideal for the bathroom



Type	CK 20 Trend
Part no.	234918

Technical data

Power supply	1/N ~ 230 V
Rated voltage	~230 V
Voltage range	220-240 V
Rated current	8,7 A
Connected load	2 kW
IP rating	IP24
Protection class	II
Colour	alpine white
Sound pressure level	49 dB(A)
Setting range	7-35 °C
Height	400 mm
Width	275 mm
Depth	131 mm
Weight	2.50 kg

Depth including wall mounting bracket

Contact information

You have questions? We appreciate to help you:

Call **+27 10 001 85 47** Write an email to **info@stiebel-eltron.co.za**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.