## EIL 6 Plus MINI INSTANTANEOUS WATER HEATERS

The fastest way to enjoy hot waterDiscover all the options Are there places in your home where you only need hot water occasionally? Then this mini instantaneous water heater is the right solution for you. The water quickly gets up to temperature thanks to decentralised installation.

The main features

Suitable for undersink installation

Can be operated with pressure-tested or non-pressurised taps

Special aerator for perfect flow pattern

Mini instantaneous water heater with hydraulic control for small amounts of hot water available immediately



# **STIEBEL ELTRON**

### PRODUCT-NO.: 200140

# **STIEBEL ELTRON**



### Technical data

Туре

Part no.

Rated voltage	230 V
Rated voltage 1	200 V
Rated voltage 2	220 V
Rated voltage 3	230 V
Rated voltage 4	240 V
Rated output	5,7 kW
Rated output 1	4,3 kW
Rated output 2	5,2 kW
Rated output 3	5,7 kW
Rated output 4	6,2 kW
Rated current	24,7 A
Rated current 1	21,6 A
Rated current 2	23,6 A
Rated current 3	24,7 A
Rated current 4	25,8 A
Fuse protection	25 A
Fuse protection 1	25 A
Fuse protection 2	25 A
Fuse protection 3	25 A
Fuse protection 4	32 A
Frequency	50/60 Hz

# **STIEBEL ELTRON**

Frequency 1	50/60 Hz
Frequency 2	50/60 Hz
Frequency 3	50/60 Hz
Frequency 4	50/60 Hz
Phases	1/N/PE
Conductivity σ15 ≤	909 µS/cm
Conductivity $\sigma$ 15 ≤ (at $\theta$ cold ≤ 25 °C)	909 µS/cm
Conductivity $\sigma$ 15 ≤ (at $\theta$ cold > 25 °C)	909 µS/cm
Resistivity ρ15 ≥	1100 Ω cm
Resistivity $\rho_{15} \ge (at \ \Theta_{cold} \le 25 \ ^{\circ}C)$	1100 Ω cm
Resistivity p15 ≥ (at <b>9cold</b> > 25 °C)	1100 Ω cm
Height	143 mm
Width	190 mm
Depth	82 mm
Water connection	G 3/8 A
Switch-on water flow rate	> 2,6 l/min
IP rating	IP25
Colour	white
Weight	1.40 kg

## STIEBEL ELTRON

#### **Contact information**

You have questions? We appreciate to help you: Call **+27 10 001 85 47** Write an email to **info@stiebel-eltron.co.za** 

#### Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.