

# CNS 100 S

CONVECTOR HEATERS

PRODUCT-NO.: 220718

The CNS-S convectors discreetly provide great heating comfort on two fronts. Firstly through their extremely flat design and secondly their extremely quiet and draught-free operation. These robust units are splashproof. They offer variable temperature selection from 5 to 30 °C.



## The main features

1000 W heating output

---

Modern slimline design

---

Quiet, even temperature distribution

---

Variable temperature selection

---

Splashproof to IP 24

---

Easy and quick installation



Type	CNS 100 S	CNS 200 S	CNS 300 S
Part no.	220718	220722	220724
Connected load	1,0 kW	2,0 kW	3,0 kW
Width	445 mm	740 mm	1040 mm
Depth	100 mm	100 mm	100 mm
Height	450 mm	450 mm	450 mm

## Technical data

Power supply	1/N ~ 220-240 V	1/N ~ 220-240 V	1/N ~ 230 V
Frequency	50/- Hz	50/- Hz	50/- Hz
Rated voltage	~230 V	~230 V	~230 V
Rated current	4,3 A	8,7 A	13,0 A
Setting range	6-30 °C	6-30 °C	6-30 °C
IP-Rating	IP24	IP24	IP24
Protection class	II	II	II
Weight	4,4 kg	6,8 kg	9,4 kg
Colour	alpine white	alpine white	alpine white

Depth including 22 mm wall retainer

Note: Only for sales outside the EU.

## **Contact information**

You have questions? We appreciate to help you:

Call **+27 10 001 85 47** Write an email to **[info@stiebel-eltron.co.za](mailto:info@stiebel-eltron.co.za)**

## **Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.