

HUV 65

PRODUCT-NO.: 227425





| | | | |
|----------|--------|--------|--------|
| Type | HUV 1 | HUV 2 | HUV 65 |
| Part no. | 227420 | 223391 | 227425 |

Technical data

| | | | |
|------------------|--------------------------|----------------------|----------------------|
| Connection | G 1 | G 2 | DN 65 |
| kVS value | 26 m ³ /h | 49 m ³ /h | 58 m ³ /h |
| Runtime | 90 s / 90° | 90 s / 90° | 7.5 s/mm (18mm) |
| IP rating | IP 54 | IP 54 | IP 54 |
| Protection class | II verstärkte Isolierung | II, double insulated | II, double insulated |
| Weight | 1.65 kg | 4.80 kg | 16.30 kg |



| | |
|------------------|----------------------|
| Type | HUV 80 |
| Part no. | 227426 |
| Technical data | |
| Connection | DN 80 |
| kVS value | 90 m ³ /h |
| Runtime | 7.5 s/mm (18mm) |
| IP rating | IP 54 |
| Protection class | II, double insulated |
| Weight | 22.50 kg |

Contact information

You have questions? We appreciate to help you:

Call **+27 10 001 85 47** Write an email to **info@stiebel-eltron.co.za**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.