

AG 12

COLLECTOR ACCESSORIES

PRODUCT-NO.: 074029

Diaphragm expansion vessel (type-tested) with wall mounting brackets; H-30 L-resistant; permanently resistant to temperatures of 70 °C (peak temperatures may be higher) with a branch line length of at least 1 m to the solar compact installation.

The main features

Diaphragm expansion vessel for sealed unvented solar thermal systems

Including wall fixing tabs





| | | | |
|------------|--------|--------|--------|
| Type | AG 12 | AG 18 | AG 25 |
| Part no. | 074029 | 074030 | 074031 |
| Volume | 12 l | 18 l | 25 l |
| Connection | G 1/2 | G 3/4 | G 3/4 |

Technical data



| | | |
|------------|--------|--------|
| Type | AG 50 | AG 80 |
| Part no. | 187868 | 231899 |
| Volume | 50 l | 80 l |
| Connection | G 3/4 | G1 |

Technical data

Contact information

You have questions? We appreciate to help you:

Call **+27 10 001 85 47** Write an email to **info@stiebel-eltron.co.za**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.