

SBB 400 WP Trend

DHW CYLINDER

PRODUCT-NO.: 233488

The SBB WP Trend rounds off the range of DHW cylinders for heat pump operation. It has a solid, conventional equipment level, comparable to that found in the medium price segment. Similarly to the Comfort series, the SBB WP Trend is insulated with directly applied foam and encased in a plastic jacket with top cover.



The main features

400 l cylinder

For combination with a heat pump

Equipped with an internal heat exchanger

Visually appealing white plastic jacket and black top cover

Low heat loss through directly applied PU foam insulation



Type	SBB 300 WP Trend	SBB 400 WP Trend	SBB 500 WP Trend
Part no.	233487	233488	233489
Rated capacity	287 l	390 l	481 l
Diameter incl. thermal insulation	650 mm	750 mm	750 mm
Height	1652 mm	1565 mm	1871 mm

Technical data

Energy efficiency class	C	C	C
Standby energy consumption/24 h at 65 °C	2,40 kWh	2,60 kWh	2,80 kWh
Surface, indirect coil, top	3,20 m ²	5,10 m ²	6,10 m ²
Flanged aperture	180 mm	180 mm	180 mm
Height of unit when tilted	1730 mm	1700 mm	1970 mm
Weight	146 kg	195 kg	230 kg

Contact information

You have questions? We appreciate to help you:

Call **+27 10 001 85 47** Write an email to **info@stiebel-eltron.co.za**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.