Accessories

LSWP 560-4 S

ORDER NO: 234647



Key features

- Thermally insulated and sound insulated air hose
- Good sound insulation thanks to a 50 mm layer of acoustic insulating material
- Prevents condensation forming on the outer cover



Type	LSWP 560-4 S ORDER NO: 234647
Order No	234647
Dimensions	
Nominal diameter	560 mm
External diameter	660 mm
Internal diameter	560 mm
Length	4000 mm
Length	4 m
Thermal insulation thickness	50 mm
Values	
Wall thickness	50 mm
Application limit	-20 - 70 °C
Versions	
Colour of air hose	Aluminium-coloured outer sheath
Sound emissions	
Insertion loss at 63 Hz	27.20 dB

Insertion loss at 125 Hz	29.40 dB
Insertion loss at 250 Hz	22.70 dB
Insertion loss at 500 Hz	23.60 dB
Insertion loss at 1000 Hz	29.30 dB
Insertion loss at 2000 Hz	13.60 dB
Insertion loss at 4000 Hz	11.60 dB
Insertion loss at 8000 Hz	11.90 dB

STIEBEL ELTRON

Contact information

You have questions? We appreciate to help you:

Call **+27 10 001 85 47** Write an email to **info@stiebel-eltron.co.za**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.

Website

www.stiebel-eltron.co.za